Work Order ID 56709 Page 1 March 4, 2010 3:13:48 PM Item ID: D044-719-011L08 Accept Setup Start Revision ID: Stop Cabin Floor Protector (Clear) Item Name: Start Qty: 5.00 Start Date: 3/04/10 Cust Item ID: Required Date: 3/12/10 Req'd Qty: 5.00 Customer: Reference: Run Start Approvals: Process Plan: Tooling: Date: Date: Stop QC: SPC (Y/N): Date: Date: Sequence ID/ Operation Set Up/ Reject Draw Draw Plan Accept Reject Insp. Work Center ID Description **Run Hours** Number Rev. Code Qty Qty Number Stamp Draw Nbr Revision Nbr D3281 Rev D 100 0.00 DOCUMENT CONTROL X 0.00 Memo Document Control Photocopy bluefile and create labels per PPP D044-719-011 CHG001 110 Pick Kit 0.00 10-3-12 5/ Packaging 0.00 Memo Packaging 120 QC4- 100% Inspect kits for completeness 0.00

Memo

Quality Control

| * | | |
|---|--|--|
| | | |

Work Order ID 56709

March 4, 2010 3:13:48 PM



Page 2

Item ID:

D044-719-011L08

Accept

Setup Start



Revision ID:

Item Name:

Cabin Floor Protector (Clear)

Start Date:

3/04/10

QC:

Start Qty: 5.00

Required Date: 3/12/10

Req'd Qty: 5.00



Cust Item ID:

Customer:

Draw

Number

Reference:

Approvals:

Process Plan:

Date:

Date:

Tooling:

SPC (Y/N):

Date:

Date:

Draw

Rev.

Plan

Code

Run

Stop



Sequence ID/ Work Center ID

Packaging

Packaging

Operation Description

Packaging

Set Up/ Run Hours

0.00

0.00 Memo Identify and pack for shipping as per PPP D044-719-011

Location:

PPP Rev:

140

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

Accept

Qty


Start

Stop



Reject Reject Insp. Number Stamp

MF- 10-3-16



Picklist Print

March 4, 2010 3:13:46 PM

Work Order ID: 56709

Parent Item: D044-719-011L08

Parent Item Name: Cabin Floor Protector (Clear)

Comments: IPP Rev:A 04.09.17 New Issue KJ/JLM

IPP Rev: B 04.02.02 Material change to Lexan 0.125"" DL

IPP Rev C. 07.08.07 Thermoformed in house DL

IPP Rev D. 08.04.14 Material change to Lexan 0.093"" DL

| | ı |
|--|---|
| | |

Start Date: 3/04/10

Start Qty: 5.00

Required Date: 3/12/10

Required Qty: 5.00

| | | | ge to Lexa | in 0.093"" DL | | | | | | | |
|-----|---|--------------|------------|---------------|-----|------|---------|---------|--------|------------|---|
| 54 | D3281-1L08 | Manufactured | No | | 110 | Each | 0.0000 | 5,0000 | | | 1 |
| S | Floor Protector, Fwd LH D3281-2L08 (1) | Manufactured | No | | 110 | Each | 0.0000 | 5.0000 | 1~ | 10-3-19 \$ | |
| 545 | Floor Protector, Fwd RH D3281-3L08 | Manufactured | No | | 110 | Each | 0.0000 | 5.0000 | 56718 | 103-1250 | |
| Sp | D3281-4L08 | Manufactured | No | | 110 | Each | 0.0000 | 5.0000 | 56713 | 10:3-1050 | |
| 8 | Floor Protector, Aft RH D2854-1-100 | Manufactured | No | | 110 | Each | 19.0000 | 40.0000 | 56714 | 10-3 129 | / |
| 4) | Velcro Strip, Looped | | | | | | | | B56946 | 10-3-150 | 0 |

| Warehouse | Loc Oty | Loc Code |
|----------------|---------|----------|
| Location | | |
| Main Warehouse | | |
| ST | 19 | |
| 40490 | 4 | |
| 47415 | 15 | |

B56946 10-3-15-50

| THE REPORT OF THE PARTY OF THE | | |
|--|--|---|
| | | |
| | | |
| 27 The 1984 | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| F . | | |
| | | |
| | | |
| | | 9 |
| | | |
| | | |
| Fig. 8 | | |
| A STATE OF THE STA | | |

Picklist Print

March 4, 2010 3:13:47 PM

Page 2/2

Work Order ID: 56709

Parent Item: D044-719-011L08

Parent Item Name: Cabin Floor Protector (Clear)

Comments: IPP Rev:A□04.09.17□New Issue□KJ/JLM

IPP Rev: B 04.02.02 Material change to Lexan 0.125"" DL

IPP Rev C. 07.08.07 Thermoformed in house DL

IPP Rev D. 08.04.14 Material change to Lexan 0.093"" DL



Start Date: 3/04/10

Required Date: 3/12/10 Start Qty: 5.00

Required Qty: 5.00

D2854-3-100



Manufactured

110

Each

27.0000 40.0000



B56941 10-3-1554

| Velcro | Strip, | Hooked | |
|--------|--------|--------|--|
| | | | |

| Warehouse | Loc Qty | Loc Code |
|----------------|---------|----------|
| Location | | |
| Main Warehouse | | |
| ST | 27 | |
| 37862 | 4 | |
| 39589 | 4 | |
| 40491 | 4 | |
| 47416 | 15 | |

| The second of th | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| The state of the s | |

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D044-719 REV. A
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D044-719 REV. 0
REF TCCA STC: SH04-40
REF FAA STC: SR02051NY
REF EASA STC: EASA.IM.R.S.01075

PURPOSE:

To add the D044-719-011L08 Clear Cabin Floor Protectors. The -011L08 kit is similar to the existing -011 kit, however the plastic is transparent instead of solid black. The existing D044-719-011 kit will be re-identified as D044-719-011L02.

CHANGE:

The D044-719-011L08 Cabin Floor Protectors kit consists of four transparent plastic trays that are placed on the cabin floor to protect the carpets from damage. The -011L08 kit should be installed per the -011 kit of Installation Instructions IIN-D044-719 and maintained per Instructions for Continued Airworthiness ICA-D044-719. The parts list and weight & balance for the -011L08 kit is given below.

PARTS LIST

| QTY -011L02 | QTY -011L08 | Part Number | Description |
|----------------|-----------------|-----------------|--------------------------------|
| X | | D044-719-011L02 | Cabin Floor Protectors (Black) |
| | X | D044-719-011L08 | Cabin Floor Protectors (Clear) |
| 1 | | D3281-1L02 | Floor Protector, Fwd LH, Black |
| - 410 | 14 | D3281-1L08 | Floor Protector, Fwd LH, Clear |
| 1 | 0.000 | D3281-2L02 | Floor Protector, Fwd RH, Black |
| | 1 26 | D3281-2L08 | Floor Protector, Fwd RH, Clear |
| 1 | | D3281-3L02 | Fioor Protector, Aft LH, Black |
| - 101/0 | 1 | D3281-3L08 | Floor Protector, Aft LH, Clear |
| 1 186 | Contract of the | D3281-4L02 | Floor Protector, Aft RH, Black |
| 130/100 | 1 | D3281-4L08 | Floor Protector, Aft RH, Clear |
| 8 | 8 | D2854-1-100 | Looped Velcro Strip |
| 8 | 8 | D2854-3-100 | Hooked Velcro Strip |

WEIGHT AND BALANCE

| The second | | La | ateral | Longitudinal | |
|------------------------|--------|------|---------|--------------|-----------|
| Installation | Weight | Arm | Moment | Arm | Moment |
| D044-719-011L02 | 3.9 lb | 0 in | 0 in-lb | 50 in | 195 in-lb |
| Cabin Floor Protectors | 1.8 kg | 0 m | 0 m-kg | 1.27 m | 2.3 m-kg |
| D044-719-011L08 | 4.4 lb | 0 in | | | 220 in-lb |
| Cabin Floor Protectors | 2.0 kg | 0 m | 0 m-kg | 1.27 m | 2.5 m-kg |

DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-0-01

APPROVED

BY:
D. SHEPHERD (DE # 02)

DATE:
10.02.24
CERT. NO.:
SH04-40
ISSUE NO.:
1

CANADA

| A | NEW IS | NEW ISSUE | | | 10.02.24 | |
|---------|---------|-------------|---|------------|------------------------|--|
| REV. | | DESCRIPTION | | | DATE | |
| DESIGN | | 97 | DART AEROSPA | CE | LTD | |
| DRAWN | DRAWN 9 | | HAWKESBURY, ONTARIO, CANADA | | | |
| CHECK | ED | H | DRAWING NO. | | REV. A | |
| MFG. Al | PPR. | N/A | DSI 9504 | S | HEET 1 OF 1 | |
| APPRO | VED | -11 | TITLE | | SCALE | |
| DE APP | R. | # | FLOOR PROTECTOR KIT, CL | EAR | NTS | |
| DATE | 10.02 | 2.24 | COPYRIGHT © 2010 BY DART AER THIS DOCUMENT IS PROVATE AND CONTIDENTIAL AND IS SUPPLIED ON NOT TO BE USED FOR ANY PURPOSE ON CONFED ON COMMISSION TO WRITTEN PERMISSION FROM DAYT ARREST | THE EXPRES | SI TI TANT HORTHODO SI | |

| Dail Melospace Llu | Dart | Aerospa | ce Ltd | |
|--------------------|------|---------|--------|--|
|--------------------|------|---------|--------|--|

| W/O: | | | ٧ | VORK ORDER CHANGE | S | | | • |
|-----------|------|--------------------------------|-----------------------------|------------------------------|----------------|-------------------------------------|--------------------------|--------------|
| DATE STEP | | PROCEDURE CHANGE | | Ву | Date Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |
| Dord No. | | | | 20 | | | | |
| | | | Fault Category: | | | | | |
| NCR: | | W | ORK OR | DER NON-CONFORMAI | NCE (NCR) | | | |
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification | Approval | Approval |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Chief Eng | QC Inspector |
| | | | | | | | | |
| 35 | | | * | | 12 | | | f . |
| | | | | | | | | |
| | | | | 3 | | | | ia. |

NOTE: Date & initial all entries

Work Order ID 56709

March 4, 2010 3:13:48 PM

Item ID:

D044-719-011L08

Revision ID:

Item Name:

Cabin Floor Protector (Clear)

3/04/10

Start Date:

Required Date: 3/12/10

Reference:

Approvals:

Sequence ID/

QC:

Process Plan:

Start Qty: 5.00

Reg'd Qty: 5.00

Operation Description

Work Center ID Revision Nbr Draw Nbr

Rev D

D3281

Document Control

Packaging Packaging

110

120

Pick Kit

DOCUMENT CONTROL

Memo

Memo

Memo

OC4-100% Inspect kits for completeness

Quality Control

Accept

Tooling:

0.00

0.00

0.00

0.00

0.00

0.00

Photocopy bluefile and create labels per PPP D044-719-011 CHG001

SPC (Y/N):

Set Up/

Run Hours

Date:

Date:



Cust Item ID: Customer:

Date:

Date:

Draw Number

Draw Rev.

Plan Code

Accept Qty

Reject Qty

Run

Setup Start

Stop

Start

Stop

Reject Number

Insp. Stamp

pl 10-3-14

| * | | |
|---|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |